Strands Skylord LED light bar, E-appproved

E-approved light bars by Strands. One light bar with two reference numbers, that matches the required regulations for mounting in pair.






Strands Skylord light bars are almost tailor-made for the Danish market. With Danish regulations on paired mounting, they are ideal, as they contain 2 reference numbers combined into ONE single LED light bar.

The 20"-, 30"-, and 40"-versions each have 2x 20 in reference numbers - thus a total reference value of 40 - meeting the requirement for paired mounting. However, the 10"-version has 1x 20 in reference numbers, so it does not meet the requirement for paired mounting and is considered as individual mounting.

All light bars have an E-approved and a non-E-approved high beam (Xperience mode).

The combo light combines the best of a spot and a flood lamp. In each light bar, there are both flood and spot lenses, providing a good mix of broad light close by and long-range light in the middle.

Skylord is the perfect upgrade for trucks, SUVs, or any car that deserves exceptional high beams. Its sleek design makes the light bar a relatively discreet solution with a very high light output while fitting almost every vehicle.

Skylord comes with dual-color position lights, glowing white and orange, spanning the entire length of the light bar, giving it a sharp and attractive look during the day.

Built to withstand the most extreme conditions, Skylord features a sturdy aluminum housing, polycarbonate lens, and stainless steel bracket, ensuring performance in both extreme cold and hot summer temperatures, from -35°C to +60°C.

Installation is a breeze with the pre-mounted DT4 connector for quick and stable links. Skylord is compatible with both 12V and 24V systems and is also shielded against radio interference (ECE R10).

Buy online at:

www.matronics.eu/24607036

Connection:

- Red: Positive / +
- Black: Ground / -
- White: White position light
- Yellow: Yellow position light

Ref.: 902000, 902001, 902002, 902003



10" - 90W - 10800lm
SKU 24607036
Dimensions: 77,95 x 67,45 x 266mm



20" - 180W - 23000lm
SKU 24607037
Dimensions: 77,95 x 67,45 x 506mm

30" - 300W - 33000lm
SKU 24607038
Dimensions: 77,95 x 67,45 x 746mm

40" - 350W - 39000lm
SKU 24607039
Dimensions: 77,95 x 67,45 x 986mm

Product pictures







