Raw Aluminium Profile - U

U profile in an untreated aluminium, which can be used for many purposes.






U profile in an untreated aluminium, which can be used for many purposes.The dimensions are the outer measures and the thickness of the lightbar is 2mm.

This profile is more stable over longer lengths compared to the flat profiles. This will allow you to hang the product up on ceilings, etc.

The U profile can be used for LED stripes. They give you a better heat dissipation, which makes them easier to mount.

Buy online at:

www.matronics.eu/131481



10 x 20 x 2mm, 99cm
SKU 131475
Height: 20mm
Width: 10mm
Inner width: 6mm



10 x 20 x 2mm, 199cm
SKU 131476
Height: 20mm
Width: 10mm
Inner width: 6mm



10 x 20 x 2mm, 299cm
SKU 131477
Height: 20mm
Width: 10mm
Inner width: 6mm



15 x 15 x 2mm, 99cm
SKU 131481
Height: 15mm
Width: 15mm
Inner width: 11mm



15 x 15 x 2mm, 199cm
SKU 131482
Height: 15mm
Width: 15mm
Inner width: 11mm



15 x 15 x 2mm, 299cm
SKU 131483
Height: 15mm
Width: 15mm
Inner width: 11mm



20 x 10 x 2mm, 99cm
SKU 131491
Height: 10mm
Width: 20mm
Inner width: 16mm



20 x 10 x 2mm, 199cm
SKU 131492
Height: 10mm
Width: 20mm
Inner width: 16mm



20 x 10 x 2mm, 299cm
SKU 131493
Height: 10mm
Width: 20mm
Inner width: 16mm



20 x 20 x 2mm, 99cm
SKU 131501



20 x 20 x 2mm, 199cm
SKU 131502



20 x 20 x 2mm, 299cm
SKU 131503



25 x 25 x 2mm, 99cm
SKU 131511



25 x 25 x 2mm, 199cm
SKU 131512



25 x 25 x 2mm, 299cm
SKU 131513

Product pictures







